

International Journal of Engineering & Technology

Website: www.sciencepubco.com/index.php/IJET

Research paper



Assessment of Environmental Management in Lake Toba, Samosir Regency, North Sumatera Province, Indonesia

Novdin M Sianturi¹, Mohd Khairul Amri Kamarudin^{1,2*}, Mohd Ekhwan Toriman³, Noorjima Abd Wahab¹, Surachate Hakparn⁴, Kanittha Lertbunchardwong⁵, Tepvisit Potikengrith⁶, Mir Sujaul Islam⁷, Hazamri Harith⁸

¹East Coast Environmental Research Institute (ESERI), Universiti Sultan Zainal Abidin, Gong Badak Campus, 21300 Kuala Nerus, Terengganu, Malaysia

²Faculty of Applied Social Science, Universiti Sultan Zainal Abidin, Gong Badak Campus, 21300 Kuala Nerus, Terengganu, Malaysia ³Faculty of Social Sciences and Humanities, Universiti Kebangsaan Malaysia, 43600 Bangi, Selangor, Malaysia

⁴Tourist Police Bureau, Bangkok, Thailand

⁵Faculty of Social Sciences and Humanities, Mahidol University, Nakhon Pathom, Bangkok, Thailand

⁶Special Branch Police Bureau, Bangkok, Thailand

⁷Faculty of Civil Engineering & Earth Resources, Universiti Malaysia Pahang (UMP), 26300 Gambang, Pahang, Malaysia

⁸CNH Advantech Sdn. Bhd., No. 88 Jalan Selasih 5, 47000 Sungai Buloh, Selangor, Malaysia

*Corresponding author E-mail: mkhairulamri@unisza.edu.my

Abstract

Earth, water and other natural resources are controlled by government and used totally for society's prosperity. If the problem cannot be anticipated, it will cause conflicts in society by personal or certain group interest when the demand is no longer equal with the supply of water resources. The aim of the study is to examine the Environmental Management in Lake Toba through water quality and waste management system. From 2013 until 2017 showed the increasing of waste management with a sorting method in the polling stations based on services zone priority and the coverage of existing garbage service improve the average to 1.673 %, coverage of existing TPS services an average of 2.07 %, and the scope of service of garbage transport trucks, Garbage Container and Bike Rickshaw average 12.03 %. The value of the investment Cash flow, Net worth by 2020 NPV at 15% interest rate positive value of Rp 2,043,325,165, an IRR of 9.664 % > MARR of 15%, a B/C ratio of 1.13 > 1 and PP 4.4 years (4 years 4 months 11 days), shorter than the 10-year investment period.

Keywords: Asset; Service; Waste; Quality water; investment period.

1. Introduction

The area nearly Toba Mount always less of water, due to the fact that 85% of land is rocky hill which periodically gets erosion. The rocky hill in Toba Mount has certain locations which are higher than their surroundings but their height are relatively lower than mount and mountain. The long rocky plateau which are in a row then form a hill. The rocky hill which is located nearly Toba Mount cannot be overgrown by any plants. Although the plants grow, they will not be grown very well. Nearly the plants there are valleys and lower lands than their surroundings. Moreover, the problem is not complete yet. Other problems appear, such as the lack of understanding of dangerous characteristics (hazards), the society actions which cause the decrease of natural resource quality (vulnerability), the lack of early warning which cause the unreadiness, the disability in facing the disasters, and the inappropriateness of local characteristics area development. According Department of Health Samosir Regency, the waste management is still based on final approach with the coverage about 20% of the total area of Samosir Regency [1-4]. The waste management is handles by Division of Health, Parks and Cemeteries, Department of Health Samosir Regency and Health Service Section. The asset of waste management is 14 units of 3 m³ capacity concrete polling station, 3 units of 3 m³ capacity knock down, Dump Truck is 9

unit of 6 m³ capacity containers, Garbage Container is 1 Unit and Motor Bike Rickshaw 27 Unit. Besides that, the waste transported by using 11 vehicles Dump Truck is and Motor Bike Rickshaw 27 Unit. There are have 2 polling stations namely TPS Samosir Regency 1 of 3 ha and TPS Samosir Regency 2 of 2 ha, Regency 3 of 2 ha (not yet operating) and TPS Samosir Regency 4 of 3 ha. The waste disposal method in the TPA by means of open dumping. The planning formulates the document of inventory, of water resource in river area, the availability identification for now and future, the usage of water and the needs estimation both for now and future, and the alternative effort analysis in order to make it better in using of water resource. The water quality of Lake Toba affected of Waste Management and Asset Service Improvement in Samosir Regency, North Sumatera Province. In 2010 recorded only 0.62% of the total budget and waste retribution amounted only 9.53% of the total budget of waste management. The improving waste management and a service strategy is required to increase the capacity of waste handling. [5-9].

2. Methodology

The location of waste management services chosen is Samosir Regency (Figure 1). The data collected are qualitative and quantitative. There are parameters for this study such as the region, administration, population, waste piles, local services, socioeconom-



Copyright © 2018 Authors. This is an open access article distributed under the <u>Creative Commons Attribution License</u>, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

ic, financing of waste management, asset management and waste composition. The primary data and secondary data were then compared with the standard NSPM to obtain a general overview of waste management in Samosir Regency, North Sumatera Province. The analysis of technical operation and feasibility using the investment criteria such as the Net Present Value, Payback Period, Benefit/Cost Ratio, and Internal Rate of Return.

Besides that, Figure 2 showed the zone of population of Samosir Regency and Table 1 the total population in Samosir Regency per District on 2017 which covered 9 districts with total population more than 120000 peoples. Table 2 showed a few types of waste generated in each District in Kabuapten Samosir based on waste generator for society, tourist, market and hotel [10-14].





Fig. 2: Zone Population of Samosir Regency, North Sumatera Province

 Table 1: Total Population of Samosir Regency, North Sumatera Province, 2017

Sub-Districts	Zone	Population
Pangururan	Ι	30 468
Simanindo	II	20 190
Palipi	III	16 648
Ronggurnihuta	III	8 632
Onanrunggu	IV	10 687
Nainggolan	IV	12 261
Sianjur Mulamula	V	9 448
Harian	V	8 1 1 4
Sitiotio	V	7 341
Total		123 789

 Table 2: Types of Waste Generated in Each District in Kabuapten Samosir, Samosir Regency, North Sumatera Province Based on Waste Generator

Junk Waste	Generator
Society	Plastic bags Rotten food ingredients Time paper food,
	etc.
Tourist	Tissue Plastic Bottles Plastic Bags, etc.
Market	Plastic bags Raw food items Plastic bottles, etc.
Hotel	Tissue Plastic Plastic Bottle Time food, etc.

3. Results and Discussion

3.1. Water Quality and Waste Management Operations

3.1.1. Waste piles

According to [12], there are population of < 100,000 as 2.5 L/person/day which are equivalent to 0.7 kg/person/day. Then, the city recorded populations are 100,000 to 500,000 of 3 L/person/day, equivalent to 0.8 kg/person/day. While, the waste piles in Samosir Regency, North Sumatera Province with the population > 2 million of 1.75 L/person/day, which are equivalent to 0.45 kg/person/day.

The average of household waste density is 255 kg/m³. The average of piles that generated is equal to 1.75 L/person/day or the equivalent of 0.45 kg/person/day (see Table 3). Total of one day pile is generated in Samosir Regency, North Sumatera Province in 2010 with a population of 2,125,234 is about 3750. 41 m³/day [15-16].

Table 3: Piles Measurement Samosir Regency, North Sumatera Province

		0		
Population	Volume	Piles	Density	Piles
-	(m ³)	(m ³ /person/	(kg/m^3)	(kg/person/
		day)		day)
2.342	20,106.250	0.00043	63.750	0.110
2.342	20,387.250	0.00044	63.750	0.220
2.342	21,107.000	0.00045	63.750	0.230
Ave	erage	0.00132	127.500	0.560

3.1.2. Composition

Most compositions are leftovers and foliage as 67.67%, plastic as 23.49%, paper as 2.91%, fabric as 0.43%, metal as 0.22%, glasses as 0.32% and the other of 4.96%. The comprising with Wonocolo and Surabaya proved there are similar compositions in the form of leftovers and foliage 73.5%, plastic 12.8%, paper 8.4% and another 5.3% (metal, glasses, wood, cloth, rubber, etc.) [17].

3.1.3. Container

Based on [2], there are some requirements of material. While the characteristics of individual and communal waste container including the box-shaped, bin (barrel), container, cylinder, and is light, covered, easily emptied and easily moved, plastics, various metals, wood, bamboo, fiberglass (GRP) and rattan.

For communal containers, in some locations such as in residential areas and main streets, a polling station (TPS) is built of container and concrete. Besides that, the communal containers generally do not have a cover, so it is very easily disturbed by animals, humans and others. It is also trash strewn around the TPS, disrupt the aesthetic environment and causing odors [18-20].

3.1.4. Waste collection

3.1.4.1. Residential water quality and waste

The method of residential water quality by waste collection are direct individual, indirect communal and indirect individual. The direct individual is conducted door to door using a dump truck in a residential area along the transport path.

The indirect communal is applied to crow decries dental areas, narrow alley sand cannot be passed by collection vehicles and the indirect individual using a flotation device such as motors and trash cart.

3.1.4.2. Non-residential water quality and waste

The trash collected by the clerk to be taken on the provided containers to the nearest polling stations. The waste collection in the market areas are carried out by market cleaners whereas for particularly directed at the main streets, sweeping, parks, sidewalks and other public places. Then, the waste is collected at the nearest polling stations and then transported to TPA areas.

3.1.5. Transportation

Due to this condition, the requirement for dump truck replacement on 2013 of 9 units, on 2016 of 3 units, on 2013 of 7 units, on 2014 of 3 units, and 4 units in year of 2015. While arm roll truck replacement in 2016 of 3 units, on 2013 of 3 units, and 3 units in year of 2015.

Waste transportation is using two types of vehicles, dump-truck and arm roll-truck. Garbage Container disposable time year of 2016, Motor Bike Rickshaw time for year of 2016, Motor Bike Rickshaw time for year of 2013, Arm roll Truck, disposable time for years of 2016 and Arm roll Truck, disposable time for years of 2013. Based on the provisions study, the minimum trip of dump truck and motor bike rickshaw is 1 to 3 per day with a maximum crew of 1 to 3, whereas arm roll truck and motor bike rickshaw (Table 4) [19-25].

Table 4: Piles	Measurement	Samosir	Regency,	North	Sumatera	Province
			0 1			

Type of Means	Amount
Dump Truck (Unit)	11
Garbage Container (Unit)	1
Motor Bike Rickshaw (Unit)	27
Dump truck officer (Person)	11
Motor Bike Rickshaw (Person)	27
Road Sweeper (Person)	51

3.2. Water Quality and Waste Management Assets Budgeting

Based on the study, budgeting of waste management should receive equal priority with the management of other public services which ranging from 10% regional budget and local government. Then, the budgetary should be resources from the public water quality and waste management costs amounted of 50% and 10% of government.

The waste management budget in 2012 was very low at \pm 0.62% of the total budget. Then, if the revenue of retribution compared to waste management budget in the 2012, 24.47% comes from the regional budgeting and 2.53% from retribution [23-25].

3.3. Level of Existing The study Water Quality and Waste Service

Based on the study, the total volume compared with the pile transported to the TPA and the existing services level of waste management in 2012 is $\pm 11.15\%$.

The Minimum Service Standards Division of Public Works and Spatial Planning in 2014 recorded the target of waste management in urban areas are 70%. That's means, the service level provided from government are very low (Table 5).

Table 5: Piles Measurement at Samosir Regency, North Sumatera Prov-

Year	Projection	Growth (%)
2013	5.008	1.110
2014	6.120	1.110
2015	7.230	1.110
2016	8.340	1.110
Sep-17	7.365	1.110

3.4. Level of Existing The study Water Quality and Assets Service

3.4.1. The Existing Level Study of Water Quality and TPS Service

Based on this study, if the total capacity of the existing TPS compared to the projection of handling piles, the TPS existing service levels in 2012 of 16.610 %, 12.705 % in 2013, 10.218 % in 2014, 8.500 % in 2015 and continually dropped to 7.243 % in 2016, with 3.278 % of average annual decline Table 6.

An asset additions program is required to improve service levels to over comet his reduction [26].

 Table 6: Level of Existing TPS Services Samosir Regency, North Sumatera Province

Year	Projection	Total Load	Service Level
	(m ³ /day)	(m^3)	(%)
2013	194.433	197.625	12.705
2014	241.788	197.625	10.218
2015	290.640	197.625	8.500
2016	341.128	197.625	7.243
Sep-17	280.838	197.625	7.088

3.4.2. Level of Existing Trucks and Motor Bike Rickshaw Service

The total capacity of trucks and motor bike rickshaws compared to the projections of handling piles per day, in 2012 as 16.610 %, 12.705 % in 2013, 10.218 % in 2014, 8.500 % in 2015, continued to fall to 7.243 % in 2016 (Table 7).

This shoed the Program asset additions of vehicles are required to improve service levels [8, 28].

Year	Projection	Capacity	Service
	(m ³ /day)	(m ³ /day)	Level (%)
2013	194.433	104.550	13.443
2014	241.788	104.550	10.810
2015	290.640	104.550	8.993
2016	682.255	104.550	7.650
Sep-2017	112.668	104.550	2.055

3.5. The study Water Quality and Waste Management with sorting method

The study water quality and waste management in the TPS determine the amount of waste can be reduced and residual piles discarded (Table 8 and Table 9). Regional Technical Implementation Unit (UPTD) Cipta Karya Samosir Regency, North Sumatera Province divides the waste management service areas in to 5 zones. Then, the sorting method was implemented through annual priorities based on service areas.

The graduals separation in to TPS /year/zones will increase the services in 2012 about 7.505, 9.730 in 2013, 12.254 in 2014, 13.398 in 2015 and increasing of 13.893 in 2016 (Table 10) [2], [4-6], [29-31].

 Table 8: Level of Waste Management Services Based on the Zones on

 2013-2016 in TPS with Sorting Method

Service Zone	Year			
	2013	2014	2015	2016
Zone I				
Piles (m ³ /day)	272,970	277.748	82.608	287.553
Service Level (%)	13.893	13.893	13.893	13.893
Piles management	151.690	154 345	157.045	159.793
(m^3/day)	101.090	10 1.0 10	157.015	157.175
Piles Management I evel	3 908	3 908	3 908	3 908
(%)	5.700	5.700	5.700	5.700
Reduction (%)	20 183	20 183	20 183	20 183
$\frac{1}{2} \frac{1}{2} \frac{1}$	122.105	124 602	126 782	120.002
$Pasidual (m^3/day)$	20 230	20 743	30 263	30 703
Zono II	29.230	29.145	30.203	50.795
	051 005	055 700	260.200	264762
Piles (m ² /day)	251.335	255.733	260.208	264.763
Service Level (%)	13.893	13.893	13.893	13.893
Piles management	139.668	142.110	144.598	147.128
(m²/day)				
Piles Management Level	3.598	3.598	3.598	3.598
(%)				
Reduction (%)	20.183	20.183	20.183	20.183
Piles reduction (m ³ /day)	112.753	114.725	116.735	118.778
Residual (m ³ /day)	26.915	27.385	27.865	28.353
Zone III				
Piles (m ³ /day)	243.080	247.333	251.663	256.065
Service Level (%)	13.893	13.893	13.893	13.893
Piles management	135.080	137.443	139.848	142.295
(m ³ /day)				
Piles Management Level	3.480	3.480	3.480	3.480
(%)				
Reduction (%)	20.183	20.183	20.183	20.183
Piles reduction (m ³ /day)	109.050	110.958	112.900	114.875
Residual (m ³ /day)	26.030	26.485	26.950	27.420
Zone IV				
Piles (m ³ /day)	131.345	133.643	135.983	138.360
Service Level (%)	13.893	13.893	13.893	13.893
Piles management	72.988	74.265	75.565	76.888
(m^3/day)				
Piles Management Level	1.880	1.880	1.880	1.880
(%)				
Reduction (%)	20.183	20.183	20.183	20.183
Piles reduction (m^3/dav)	235.69	59.955	61.003	62.070
Residual (m^3/dav)	14.065	14.310	14.563	14.815
Zone V				
Piles (m ³ /day)	71 978	73 238	74 520	75 823
Service Level (%)	13 893	13 893	13 893	13 893
Piles management	39 998	40.698	41 410	42 135
(m^3/day)	37.770	40.070	41.410	42.155
Piles Management I evel	1.030	1.030	1.030	1.030
(%)	1.050	1.050	1.050	1.050
Reduction (%)	20 183	20 183	20 183	20 183
Piles reduction (m ³ /day)	32 200	32 855	33 / 30	34 015
Residual (m ³ /day)	7 708	7 8/3	7 080	8 1 20
Residual (III /uay)	1.700	7.045	1.900	0.120

 Table 9: Projection of Waste Management in year 2013-2016 Service

 Zone

Service Zone		Ye	ar	
	2013	2014	2015	2016
Zone I				
Piles (m ³ /day)	272.970	277.748	282.608	287.553
Service Level (%)	5.008	6.120	7.230	8.340
Piles Management	54.675	67.993	81.730	95.928
(m^3/day)				
Piles Management	1.408	1.720	2.033	2.345
Level (%)				
Zone II				
Piles (m ³ /day)	251.335	255.733	260.208	264.763
Service Level (%)	5.008	6.120	7.230	8.340
Piles management	50.343	62.603	75.253	88.325
(m ³ /day)				

Piles Management Level (%)	1.298	1.585	1.873	2.160
Zone III				
Piles (m ³ /day)	243.080	247.333	251.663	256.065
Service Level (%)	5.008	6.120	7.230	8.340
Piles management	48.690	60.548	72.780	85.423
(m^3/day)				
Piles Management	1.255	1.533	1.810	2.088
Level (%)				
Zone IV				
Piles (m ³ /day)	131.345	133.643	135.983	138.360
Service Level (%)	5.008	6.120	7.230	8.340
Piles management	26.308	32.715	39.325	46.158
(m ³ /day)				
Piles Management	0.678	0.828	0.978	1.128
Level (%)				
Zone V				
Piles (m ³ /day)	71.978	73.238	74.520	75.823
Service Level (%)	5.008	6.120	7.230	8.340
Piles management	14.418	17.928	21.550	25.295
(m ³ /day)				
Piles Management	0.290	0.373	0.455	0.535
Level (%)				

 Table 10: Level of Waste Management on 2013-2016 in TPS with Sorting Method

Service Zone	Year			
	2013	2014	2015	2016
Zone I				
Sorting	3.908	3.908	3.908	3.908
Zone II, III, IV and V				
Projection of	3.600	4.400	5.198	5.995
Service Level				
Service Level	7.505	8.305	9.103	9.903
Zone I and III				
Sorting	7.385	7.385	7.385	7.385
Zone II, IV and V				
Projection of	2.345	2.868	3.388	3.908
Service Level				
Service Level	9.730	10.253	10.773	11.293
Zone I, II,				
and III				
Sorting		10.983	10.983	10.983
Zone IV and V				
Projection of		1.283	1.515	1.748
Service Level				
Service Level		12.265	12.498	12.730
Zone I, II, III,				
and IV				
Sorting			12.863	12.863
Zone II, III,				
IV and V				
Projection of			0.535	0.618
Service Level				
Service Level			13.398	13.480
Zone I, II, III,				
IV and V				
Sorting				13.893
Service Level				13.893

3.6. Level of Existing the Study Water Quality and Assets Service in TPS with Sorting Method

3.6.1. The Existing Level of Water Quality and TPS Service

Based on the study, a gradual sorting method /service zone, there will be decrease on service level in 2012 about 8.475, 6.538 in 2013, 5.098 in 2014, 4.588 in 2015, 4.348 in 2016 (Table 11) [5-7, 32-33].

 Table 11: Level of Existing TPS Service on 2013-2016 in TPS with Sorting Method

Service Zones	Year				
	2013	2014	2015	2016	
Zone I					
Sorting	151.690	154.345	157.045	159.793	
Zone II, III, IV and V					
Projection of	139.758	173.795	208.910	245.200	
Service Level					
Service Level	8.475	7.528	6.750	6.100	
Zone I and III					
Sorting	286.950	291.788	296.893	302.090	
Zone II, IV and V					
Projection of	91.068	113.248	136.130	159.778	
Service Level					
Service Level	6.538	6.100	5.705	21,39	
Zone I, II, and					
III					
Sorting		433.898	441.493	449.218	
Zone IV and V					
Projection of		50.645	60.878	71.453	
Service Level					
Service Level		5.098	4.918	4.745	
Zone I, II, III, and IV					
Sorting			517.058	526.105	
Zone II, III, IV					
and V					
Projection of			21.550	25.295	
Service Level					
Service Level			4.588	4.480	
Zone I, II, III,					
IV and V					
Sorting				568.240	
Service Level				4.348	

3.6.2. Level of Existing Truck and Motor Bike Rickshaw Services

Based on the study, the remaining piles are disposed to TPA, gradual improvement and sorting of existing transportation services, there will be services improvement in 2012 amounted to 15.46, 17.863 in 2013, 19.468. In 2014 with 21.568. Then in 2015 recorded 23.870 in 2016 with sorting in zones I, II, III, IV and V, with the average improvement on the Table 12.

 Table 12: Level of Existing Trucks and Motor Bike Rickshaw Services

 with sorting method in TPS

Service Zone	Year				
	2013	2014	2015	2016	
Zone I					
Sorting	29.230	29.743	30.263	30.793	
Zone II, III,					
IV and V					
Projection of	139.758	173.795	208.910	245.200	
Service Level					
Service Level	15.468	12.843	10.928	9.470	
Zone I and III					
Sorting	55.260	56.228	57.213	58.213	
Zone II, IV					
and V					
Projection of	91.068	113.248	136.130	159.778	
Service Level					
Service Level	17.863	15.423	13.520	11.990	
Zone I, II, and					
III					
Sorting		83.613	85.075	86.565	
Zone IV and					
V					
Projection of		50.645	60.878	71.453	
Service Level					
Service Level		19.468	17.908	16.540	
Zone I, II, III,					
and IV					

Sorting	99.638	101.380
Zone II, III,		
IV and V		
Projection of	21.550	25.295
Service Level		
Service Level	21.568	20.633
Zone I, II, III,		
IV and V		
Sorting		109.500
Total of Re-		109.500
sidual and		
Piles Man-		
agement		
Trucks Ser-		23.870
vice Level (%)		

3.7. The Study Water Quality and Waste Service Improvement with Sorting Method in TPS

Based on the study, the projected level of water quality and waste management services through graduals sorting in the TPS amounted 2.498 in 2012, there will be services improvement in 2013 amounted to 4.723, 6.145 in 2014, -6.168 in 2015 and 5.553 in 2016, with the average improvement of Table 13.

 Table 13: Waste Service Improvement on 2013-2016 in TPS with sorting method

Service Zone	Year				
	2013	2014	2015	2016	
Zone I					
Sorting	7.505	8.305	9.103	9.903	
Projection of	5.008	6.120	7.230	8.340	
Service Level					
Service Im-	2.498	2.185	1.873	1.563	
provement					
Zone I, and III					
Sorting	9.730	10.253	10.773	11.293	
Projection of	5.008	6.120	7.230	8.340	
Service Level					
Service Im-	4.723	4.133	3.543	2.953	
provement					
Zone I, II, and					
III					
Sorting		12.265	12.498	12.730	
Projection of		6.120	7.230	8.340	
Service Level					
Service Im-		6.145	5.268	17,56	
provement					
Zone I, II, III,					
and IV					
Sorting			13.398	13.480	
Projection of			7.230	8.340	
Service Level					
Service Im-			6.168	5.140	
provement					
Zone I, II, III,					
IV and V					
Sorting				13.893	
Projection of				8.340	
Service Level					
Service Im-				5.553	
provement					

3.8. Existing the Study Water Quality and Assets Improvement in TPS with Sorting Method

3.8.1. The Existing TPS Services Improvement

The projection on water quality and waste management services /zone recorded until -4.230 in 2012, that has improvement of existing TPS service or lowering the declines level of existing service on TPS in 2013 amounted to -6.168, -5.118 in 2014, -2.763 in 2015 and -2.895 in 2016 with the average improvement of Table 14.

borting method						
Service Zone	Year					
	2013	2014	2015	2016		
Zone I						
Sorting	8.475	7.528	6.750	6.100		
Projection of Service	12.705	10.218	8.500	7.243		
Level						
Service Improvement	(4.230)	(2.688)	(1.750)	(1.143)		
Zone I, and III						
Sorting	6.538	6.100	5.705	5.348		
Projection of Service	12.705	10.218	8.500	7.243		
Level						
Service Improvement	(6.168)	(4.118)	(2.795)	(1.893)		
Zone I, II, and III						
Sorting		5.098	4.918	4.745		
Projection of Service		10.218	8.500	7.243		
Level						
Service Improvement		(5.118)	(3.583)	(2.498)		
Zone I, II, III, and IV						
Sorting			4.588	4.480		
Projection of Service			8.500	7.243		
Level						
Service Improvement			(2.763)	(2.763)		
Zone I, II, III, IV and						
V						
Sorting				4.348		
Projection of Service				7.243		
Level						
Service Improvement				(2.895)		

 Table 14: Existing TPS Service Improvement on 2013-2016 in TPS with

 Sorting method

3.8.2. Existing Truck Services and Motor Bike Rickshaw Improvement

The projection of water quality and waste management service per zone until 2.025 in 2012, there will improvement the existing trucks service on 2013 amounted to 4.420, 8.658 in 2014, 12.575 in 2015 and 16.208 in 2016, , with the average improvement of Table 15.

 Table 15: Existing Trucks and Motor Bike Rickshaw Service Improvement with Sorting method in TPS

Service Zone	Year					
	2013	2014	2015	2016		
Zone I						
Sorting	15.468	12.843	10.928	9.470		
Projection of Service Level	13.443	10.810	8.993	7.663		
Service Improvement	2.025	2.033	1.935	1.808		
Zone I and III						
Sorting	17.863	15.423	13.520	11.990		
Projection of Service Level	13.443	10.810	8.993	7.663		
Service Improvement	4.420	4.613	4.525	4.328		
Zone I, II, and III						
Sorting		19.468	17.908	16.540		
Projection of Service Level		10.810	8.993	7.663		
Service Improvement		8.658	8.915	8.880		
Zone I, II, III, and IV						
Sorting			21.568	20.633		
Projection of Service Level			8.993	7.663		
Service Improvement			12.575	12.973		
Zone I, II, III, IV and V						
Sorting				23.870		
Projection of Service Level				7.663		
Service Improvement				16.208		

3.9. Feasibility Analysis

Based on the calculation of NPV at 15% interest rate, the NPV obtained positive value of Rp 2,043,325,165, IRR of 9.664% smaller than the MARR (Minimum Attractive Rate of Return) of 15%, B/C ratio of 1.13 (greater than1), and PP 4, 4 years (4 years 4 months 11 days) which means shorter than the period of the investment for 10 years, so that investment by sorting waste management in the spoiling stations could be feasible to be implemented. Based on the calculation of the potential revenue from the

sale of junk until 2020, reaching Rp 4.535.553, 523. Initial investment cost plan assets of waste management with sorting method in TPS Rp 2,979,900,000, arm roll truck Rp 4,000,000,000, Garbage Container Rp 1.245.000.000 and Motor Bike Rickshaw Rp 825.000.000, so that the total in itial investment costof Rp 10,500,500,000. Operational and maintenance costs at TPS Zone Iine 2013, the equipment cost Rp 272,335,770, operating costs Rp 2,124,924,890, and maintenance costs Rp 66,150,000, bringing the total cost of operation and maintenance is Rp 2,463,410,600 [15-17, 32-33].

4. Conclusion

Based on this study, if the waste management is not done properly, then the level of existing TPS service save rarely decreased 13.11% per year, from 9.730% in 2013 in to 13.893 % in 2016. And the level of existing Truck and Motor Bike Rickshaw services averagely decreased 15.468 % per year, from 17.863 % in 2013 in to 23.870 % in 2016.

The level of existing TPS service averagely decreased 6.538 % per year, for 4.348 % in 2013 to 17.39% in 2016. Then, the level of existing Truck and Motor Bike Rickshaw services averagely increased 17.863 % per year, from 23.870 % in 2013 to 41.733 % in 2016. The improving of service cover age in existing TPS services by 8.29% per year, which is -4.230 % in 2012, -6.168 % in 2013, -5.118 % in 2014, -2.763 % in 2015, and -2.895 % in 2016. Based on the feasibility analysis of waste management until 2020, obtained Net Cash flow Rp 2.180.960.571. in 2020, NPV at 15% interest rate positive value of Rp 2,043,325,165, an IRR of 9.664 % > MARR of 15%, a B/C ratio of 1.13 > 1, and PP 4.4 years (4 years 4 months 11 days), which means shorter than the period of the investment for 10 years, so that investment by sorting waste management in these TPS could be feasible to be implemented.

Acknowledgement

The author would like to thank KPM for providing financial support for this research on the SRGS: (UniSZA/2017/SRGS/17) – R0019-R017, RAGS Grant (RAGS/ 1/2015 /WAB05/ UNISZA / 02/1), Department of [13] Badan Perencanaan Pembangunan Daerah dan Badan Pusat Statistik Kota Samosir Regency, North Sumatera Province.Produk Domestik Regional Bruto Kota Samosir Regency, North Sumatera Province Indonesia for the data and East Coast Environmental Research Institute (ESERI), Universiti Sultan Zainal Abidin (UNISZA) give permission to use research facilities and supporting in this research.

References

- Astari, S. (2010). Kajian Model Pengelolaan Sampah Berbasis Masyarakat, (Studi Kasus di Kecamatan Wonocolo Kota Surabaya), Tesis Program Magister, Institut Teknologi Sepuluh Nopember Surabaya. Surabaya. 2010.
- [2] Artiningsih, N, (2008). Peran Serta Masyarakat dalam Pengelolaan Sampah Rumah Tangga. Tesis Program Magister Ilmu Lingkungan. Program Pasca Sarjana Universitas Diponegoro. Semarang.
- [3] Kamarudin, M. K. A., Toriman, M. E., Syed, A. S. M., Idris, M. H., Jamil, N. R. & Gasim, M. B. (2009). Temporal variability on lowland river sediment properties and yield. American Journal of Environmental Sciences, 5(5), 657-663.
- [4] Kamarudin, M. K. A., Toriman, M. E., Juahir, H., Azid, A., Gasim, M. B., Saudi, A. S. M., & Amran, M. A. (2015). Assessment of river plan change using RS and GIS technique. Jurnal Teknologi, 76(1), 31-38.
- [5] Badan Standarisasi Nasional. (2002). SNI 19-2454-2002 tentang Tata Cara Teknik Operasional Pengelolaan Sampah Perkotaan.Jakarta.
- [6] Iriadi, Ridwan, (2008). Kajian Sistem Pengelolaan Sampah Di Kawasan Perkotaan Takengon Kabupaten Aceh Tengah. Tesis Program Pasca Sarjana Universitas Sumatera Utara. Medan.

- [7] Dinas (2011). Kebersihan Kota Samosir Regency, North Sumatera Province.Rencana Strategis Dinas Kebersihan Kota Samosir Regency, North Sumatera Province 2011-2015. Samosir Regency, North Sumatera Province.
- [8] Departemen Pekerjaan Umum.Peraturan Menteri Pekerjaan Umum Nomor (2010). 14/PRT/M/2010 Report tentang Standar Pelayanan Minimal Bidang Pekerjaan Umum dan Penataan Ruang Jakarta.
- [9] Jaafar, O., Toriman, M. E., Idris, M. H., Sharifah Mastura, S. A., Juahir, H. H., Aziz, N. A. A., Kamarudin, M. K. A., Jamil, N. R. (2010). Study of water level-discharge relationship using Artificial Neural Network (ANN) in Sungai Gumum, Tasik Chini Pahang Malaysia. *Research Journal of Applied Sciences*, 5(1), 20-26.
- [10] Bath B., (2014). Theresia Manajemen Pengangkutan Sampah Di Kecamatan Simanindo Kabupaten Samosir, Skripsi, Fakultas Kesehatan Masyarakat Universitas Sumatera Utara, Medan.
- [11] Azwar, Azrul, (2003). Metodologi Penelitian. Binarupa Aksara, Batam Centre.
- [12] Badan Standarisasi Nasional. (1995). SNI 19-3983-1995 tentang Spesifikasi Tumpukan Sampah Untuk Kota Kecil dan Sedang di Indonesia.Jakarta.
- [13] Badan Perencanaan Pembangunan Daerah dan Badan Pusat Statistik Kota Samosir Regency, North Sumatera Province.Produk Domestik Regional Bruto Kota Samosir Regency, North Sumatera Province dan Kecamatan Menurut Lapangan Usaha Tahun 2008.Samosir Regency, North Sumatera Province. 2009.
- [14] Kamarudin, M. K. A., Toriman, M. E., Wahab, N. A., Rosli, H., Ata, F. M., & Faudzi, M. N. M. (2017) Sedimentation study on upstream reach of selected rivers in Pahang River Basin, Malaysia. International Journal on Advanced Science, Engineering and Information Technology, 7(1), 35-41.
- [15] Badan Pengkajiaan dan Pengembangan Teknologi (BPPT), (2004). Modul, Pelatihan Teknologi.
- [16] Departemen Pekerjaan Umum. Pedoman Operasional dan Pemeliharaan Prasarana dan Sarana Persampahan.Jakarta. 2009.
- [17] Departemen Permukiman dan Prasarana Wilayah. Pedoman Pengelolaan Persampahan Perkotaan Bagi Pelaksana.Jakarta. 2003.
- [18] Wahab, N. A., Kamarudin, M. K. A., Anuar, A., Ata, F. M., Sulaiman, N. H., Baharim, N. B., & Muhammad, N. A. (2017). Assessments of Lake Profiling on Temperature, Total Suspended Solid (TSS) and Turbidity in The Kenyir Lake, Terengganu, Malaysia. Journal of Fundamental and Applied Sciences, 9(2S), 256-278.
- [19] Suratman, S., Hang, H. C., Shazili, N. A. M., & Tahir, N. M. (2009). A preliminary study of the distribution of selected trace metals in the Besut River Basin, Terengganu, Malaysia. Bulletin of Environmental Cohehntamination and Toxicology, 82(1), 16-19.
- [20] Tchobanoglous, G., Theisen, H., Vigil, S. Integrated solid waste management issues. McGraw-Hill. 1993.
- [21] Kamarudin, M K A., Nalado, A M., Kasmuri, A., Toriman, M E., Juahir, H., Umar, R., & Hassan, A R. (2017). Assessment of river plan changes in Terengganu River using RS and GIS method. Journal of Fundamental and Applied Sciences, 9(2S), 28-45.
- [22] Kamarudin, M K A., Idris, M., & Toriman, M E. (2013). Analysis of Leptobarbus Hoevenii in control environment at natural lakes. American Journal of Agricultural and Biological Science, 8(2), 142-148.
- [23] Chang M., Mccullough J D., & Granillo A B. (1983). Effects of land use and topography on some water quality variables in forested east Texas. Journal of the American Water Resources Association, 19(2), 191-196.
- [24] Pengolahan Sampah Kota Secara Terpau Menuju Zero Waste. Jakarta. Badan Standarisasi Nasional, (2002). Tata Cara Teknik Operasional Pengelolaan Sampah Perkotaan.
- [25] Zhang, Y., Guo, F., Meng, W., & Wang, X. (2009). Water quality assessment and source identification of Daliao River Basin using multivariate statistical methods. Environmental Monitoring and Assessment, 152, 105- 121.
- [26] Pemerintah Republik Indonesia. Undang-Undang Republik Indonesia Nomor 18 Tahun 2008 tentang Pengelolaan Sampah. Jakarta. 2008.
- [27] Wahab, N A., Kamarudin, M K A., Gasim, M B., Umar, R., Ata, F M., & Sulaiman, N H. (2016). Assessment of total suspended sediment and bed sediment grains in upstream areas of Lata Berangin, Terengganu. International Journal on Advanced Science, Engineering and Information Technology, 6(5), 757-763.
- [28] Kamarudin, M. K. A., Toriman, M. E., Rosli, M. H., Juahir, H., Aziz, N. A. A., Azid, A., ... & Sulaiman, W. N. A. (2015). Analysis of meander evolution studies on effect from land use and climate change at the upstream reach of the Pahang River, Malaysia. Mitigation and Adaptation Strategies for Global Change, 20(8), 1319-1334.

- [29] Juahir, H., Zain, S M., Yusoff, M K., Hanidza, T T., Armi, A M., Toriman, M E., & Mokhtar, M. (2011). Spatial water quality assessment of Langat River Basin (Malaysia) using environmetric techniques. Environmental monitoring and assessment, 173(1-4), 625-641.
- [30] Din, H M., Toriman, M E., Mokhtar, M., Elfithri, R, Aziz, N A A., Abdullah, N M., Kamarudin, M K A. (2012). Loading concentrations of pollutant in Alur Ilmu at UKM Bangi campus: Event mean concentration (EMC) approach. Malaysian Journal of Analytical Sciences, 16(3), 353-365.
- [31] Kamarudin, M. K. A., Toriman, M. E., Sulaiman, N. H., Ata, F. M., Gasim, M. B., Muhamad, A., Yusoff, W. A., Mokhtar, M., Amran, M. A., Abd Aziz, N. A. (2015). Classification of tropical river using chemometrics technique: Case study in Pahang River, Malaysia. Malaysian Journal of Analytical Sciences, 19(5), 1001-1018.
- [32] Azid, A., Juahir, H., Toriman, M. E., Endut, A., Kamarudin, M. K. A., Rahman, A., & Nordin, M. (2015). Source apportionment of air pollution: A case study in Malaysia. Jurnal Teknologi, 72(1), 83-88.
- [33] Adnan, N. A., & Atkinson, P. M. (2011). Exploring the impact of climate and land use changes on streamflow trends in a monsoon catchment. International Journal of Climatology, 31(6), 815-831.